

```

<?xml version="1.0" encoding="utf-8"?>
<definitions xmlns="http://schemas.xmlsoap.org/wsdl/"
xmlns:conv="http://www.openuri.org/2002/04/soap/conversation/"
xmlns:cw="http://www.openuri.org/2002/04/wsdl/conversation/"
xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
xmlns:jms="http://www.openuri.org/2002/04/wsdl/jms/"
xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
xmlns:s="http://www.w3.org/2001/XMLSchema"
xmlns:s0="urn://fsb.belgium.be/fphp/v3_0"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0">
  <types>
    <s:schema xmlns:s="http://www.w3.org/2001/XMLSchema"
xmlns:que="urn://fsb.belgium.be/fphp/v3_0/query"
xmlns:per="urn://fsb.belgium.be/fphp/v3_0/person"
elementFormDefault="qualified"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0">
      <s:import namespace="urn://fsb.belgium.be/fphp/v3_0/query"/>
      <s:import namespace="urn://fsb.belgium.be/fphp/v3_0/person"/>
      <s:element name="findPerson">
        <s:complexType>
          <s:sequence>
            <s:element ref="que:query"/>
          </s:sequence>
        </s:complexType>
      </s:element>
      <s:element name="findPersonResponse">
        <s:complexType>
          <s:sequence>
            <s:element ref="per:personList"/>
          </s:sequence>
        </s:complexType>
      </s:element>
    </s:schema>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:que="urn://fsb.belgium.be/fphp/v3_0/query"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
xmlns:con="urn://fsb.belgium.be/fphp/v3_0/context"
xmlns:cri="urn://fsb.belgium.be/fphp/v3_0/searchcriteria"
xmlns:fil="urn://fsb.belgium.be/fphp/v3_0/searchfilter"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/query"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
      <xs:annotation>
        <xs:documentation xml:lang="en">Definition of the query wrapping the
context, search criteria, and the search filter, into one XML document.
[Schema version: 1.0; Date: 2007-07-24; Author: Ignaz
Wanders]</xs:documentation>
      </xs:annotation>
      <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/common"/>
      <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/context"/>
      <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/searchcriteria"/>
      <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/searchfilter"/>
      <xs:element name="query" type="que:Query"/>
      <xs:complexType name="Query">
        <xs:annotation>
          <xs:documentation>Identification of the query.</xs:documentation>
        </xs:annotation>
        <xs:sequence>
          <xs:element name="context" type="con:Context"/>
          <xs:element name="criteria" type="cri:SearchCriteria"/>
          <xs:element name="filter" type="fil:SearchFilter"/>
        </xs:sequence>
      </xs:complexType>
    </xs:schema>
  </types>

```

```

</xs:sequence>
<xs:attribute name="version" use="required">
  <xs:simpleType>
    <xs:annotation>
      <xs:documentation>version 1.0: initial version</xs:documentation>
    </xs:annotation>
    <xs:restriction base="com:Version">
      <xs:enumeration value="1.0"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
<xs:complexType name="QueryNoFilter">
  <xs:annotation>
    <xs:documentation>Identification of the query.</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="context" type="con:Context"/>
    <xs:element name="criteria" type="cri:SearchCriteria"/>
  </xs:sequence>
  <xs:attribute name="version" use="required">
    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
      </xs:annotation>
      <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
</xs:schema>
  <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:per="urn://fsb.belgium.be/fphp/v3_0/person"
xmlns:cri="urn://fsb.belgium.be/fphp/v3_0/searchcriteria"
xmlns:fil="urn://fsb.belgium.be/fphp/v3_0/searchfilter"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
xmlns:con="urn://fsb.belgium.be/fphp/v3_0/context"
xmlns:sum="urn://fsb.belgium.be/fphp/v3_0/summary"
xmlns:err="urn://fsb.belgium.be/fphp/v3_0/error"
xmlns:nr="http://www.ibz.rrn.fgov.be/XSD/xm25/rn25Schema"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/person"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
  <xs:annotation>
    <xs:documentation xml:lang="en">Container for all person data from the
national register, including the search criteria and filter
that were set by the client. The detailed person data is identical
to the schema definition of the
national register, which is the authentic source of these data.
[Schema version: 1.0; Date: 2007-07-24; Author: Ignaz
Wanders]</xs:documentation>
  </xs:annotation>
  <xs:import namespace="http://www.ibz.rrn.fgov.be/XSD/xm25/rn25Schema"/>
  <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/searchcriteria"/>
  <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/searchfilter"/>
  <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/context"/>
  <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/summary"/>
  <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/error"/>
  <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/common"/>
  <!-- global element definitions -->
  <xs:element name="personList" type="per:PersonList"/>
  <xs:element name="person" type="per:Person"/>

```

```

<xs:complexType name="PersonList">
  <xs:annotation>
    <xs:documentation xml:lang="en">Container for all person data from
the national register, including the search criteria and filter
that were set by the client. The detailed person data is
identical to the schema definition of the
national register, which is the authentic source of these
data.</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="context" type="con:Context"/>
    <xs:element name="searchCriteria" type="cri:SearchCriteria"/>
    <xs:choice>
      <xs:element name="searchFilter" type="fil:SearchFilter"/>
      <xs:element name="searchFilterName" type="xs:string"/>
    </xs:choice>
    <xs:choice>
      <xs:element name="person" type="per:Person" maxOccurs="unbounded"/>
      <xs:element name="error" type="err:Error"/>
    </xs:choice>
  </xs:sequence>
  <xs:attribute name="version" use="required">
    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
      </xs:annotation>
      <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
  <xs:attribute name="release" use="optional">
    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>Indicates the deployed release from which the
personlist was derived.
Format: yyyymmddnn, with nn a number, if multiple
releases are provided on one day.
Useful for test purposes.</xs:documentation>
      </xs:annotation>
      <xs:restriction base="xs:string"/>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
<xs:complexType name="Person">
  <xs:annotation>
    <xs:documentation xml:lang="en">The detailed person data is identical
to the schema definition of the
national register, which is the authentic source of these data.
If the client requested summary data, the summary is given as
well.</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="summary" type="sum:Summary" minOccurs="0"/>
    <xs:element name="details" type="per:Details" minOccurs="0"/>
  </xs:sequence>
  <xs:attribute name="version" use="required">
    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
      </xs:annotation>
      <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
<xs:complexType name="RR_RN">
    <xs:annotation>
        <xs:documentation xml:lang="en">The detailed person data is identical
to the schema definition of the
            national register, which is the authentic source of these data.
            If the client requested summary data, the summary is given as
well.</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="it000" type="nr:IT000" minOccurs="0"/>
        <xs:element name="it001" type="nr:IT001" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it002" type="nr:IT002" minOccurs="0"/>
        <xs:element name="it003" type="nr:IT003" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it004" type="nr:IT004" minOccurs="0"/>
        <xs:element name="it005" type="nr:IT005" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it010" type="nr:IT010" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it011" type="nr:IT011" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it012" type="nr:IT012" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it013" type="nr:IT013" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it018" type="nr:IT018" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it019" type="nr:IT019" minOccurs="0"/>
        <xs:element name="it020" type="nr:IT020" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it022" type="nr:IT022" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it023" type="nr:IT023" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it024" type="nr:IT024" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it026" type="nr:IT026" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it027" type="nr:IT027" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it031" type="nr:IT031" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it070" type="nr:IT070" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it100" type="nr:IT100" minOccurs="0"/>
        <xs:element name="it101" type="nr:IT101" minOccurs="0"/>
        <xs:element name="it120" type="nr:IT120" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it123" type="nr:IT123" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it140" type="nr:IT140" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it141" type="nr:IT141" minOccurs="0"
maxOccurs="unbounded"/>
        <xs:element name="it150" type="nr:IT150" minOccurs="0"/>
        <xs:element name="it151" type="nr:IT151" minOccurs="0"/>
        <xs:element name="it210" type="nr:IT210" minOccurs="0"
maxOccurs="unbounded"/>

```

```

    <xs:element name="it252" type="nr:IT252" minOccurs="0"/>
    <xs:element name="it253" type="nr:IT253" minOccurs="0"/>
    <xs:element name="it254" type="nr:IT254" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
<!--<xs:complexType name="KSZ_BCSS">
  <xs:annotation>
    <xs:documentation xml:lang="en">
      The detailed person data is identical to the schema definition
of the
      bis register, which is the authentic source of these data.
      If the cliented requested summary data, the summary is given as
well.
    </xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element ref="ssin:Citizen"/>
  </xs:sequence>
</xs:complexType-->
  <xs:complexType name="Details">
    <xs:annotation>
      <xs:documentation xml:lang="en">The detailed person data is identical
to the schema definition of the
      bis register, which is the authentic source of these data.
      If the cliented requested summary data, the summary is given as
well.</xs:documentation>
    </xs:annotation>
    <xs:choice>
      <xs:element name="details_rr_rn" type="per:RR_RN"/>
      <!--<xs:element name="details_ksz_bcscs" type="per:KSZ_BCSS"/>-->
    </xs:choice>
  </xs:complexType>
</xs:schema>
  <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/common"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
  <xs:annotation>
    <xs:documentation xml:lang="en">Definition of frequently used common
types.
    [Schema version: 1.0; Date: 2007-07-24; Author: Ignaz
Wanders]</xs:documentation>
  </xs:annotation>
  <xs:simpleType name="PersonNumber">
    <xs:annotation>
      <xs:documentation xml:lang="en">The type definition of the number of
a person.
      It is based on a string to avoid problems with leading zeroes.
      Validation rules:
      - The length is 11 digits, of which the last two are control
digits.
      - The first six digits are the birth date in the format yymmdd.
      - Let num1 = number(0:9) and num2 = number(9:11)
      - Then num2 = 97 - (num1 % 97) for birth dates up to 31/12/1999
      and num2 = 97 - ( ( num1 + 2*10^9 ) % 97 ) for birth dates
later than 31/12/1999
      The modulus and birth date can not be captured in a regular
expression, but the
      basic check on the digits and the length are used in a regular
expression to validate the enterprise number.
    </xs:documentation>
  </xs:annotation>
  </xs:simpleType>
</xs:schema>

```

Note that birth dates are not always known, and exceptions to the birth date rule exist. Therefore, the birth date should not be considered in a validation rule.

```
</xs:documentation>
</xs:annotation>
<xs:restriction base="xs:string">
  <xs:pattern value="\d{11}" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="EnterpriseNumber">
  <xs:annotation>
```

<xs:documentation xml:lang="en">The type definition of the number of an enterprise.

It is based on a string to avoid problems with leading zeroes.

Validation rules:

- The length is 10 digits, of which the last two are control digits.

- The first digit is either a zero or a one.
- Let num1 = number(0:8) and num2 = number(8:10)
- Then num2 = 97 - (num1 % 97)

The modulus can not be captured in a regular expression, but the

basic check on the digits and the length are used in a regular expression to validate the enterprise

number.

```
</xs:documentation>
</xs:annotation>
<xs:restriction base="xs:string">
  <xs:pattern value="[01]\d{9}" />
</xs:restriction>
</xs:simpleType>
<xs:complexType name="Date">
  <xs:annotation>
    <xs:documentation>Century, Year, Month, Day, based on the definition
of the national register. This type of date does not
necessarily need to be a valid date.</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="century" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="18" />
          <xs:enumeration value="19" />
          <xs:enumeration value="20" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="year" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:pattern value="\d{2}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="month" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:pattern value="\d{2}" />
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

```

    <xs:element name="day" minOccurs="0">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:pattern value="\d{2}"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="EId">
  <xs:annotation>
    <xs:documentation>The electronic identity of
someone.</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="certificate" type="xs:string" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
<xs:simpleType name="Version">
  <xs:annotation>
    <xs:documentation xml:lang="en">The version number identification. A
version indication must be given with
      those elements that are sensitive to versioning. Only those
indications are
      allowed which are defined here.

      There are several conventions, which must be respected by all
parties.

      Minor versions are by definition backwards compatible. For
example, the addition of
      an optional element is only a minor change; it does not break
the contract with clients
      using an older version. A minor version update does not change
the namespace.

      A major version is by definition a version which is not
backwards compatible. For
      example, the addition of a required field requires all clients
to update their code.
      A major version update therefore changes the namespace.

      Client and server code should be coded such that a major
version can coexist with the
      previous version, at least for a short while.

      Note that adding new versions to the enumeration is backwards
compatible</xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:string"/>
</xs:simpleType>
</xs:schema>
  <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:con="urn://fsb.belgium.be/fphp/v3_0/context"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
xmlns:iso="urn://fsb.belgium.be/fphp/v3_0/isocodes"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/context"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
  <xs:annotation>
    <xs:documentation xml:lang="en">Definition of the context consists of
three parts. Part 1: the identification of the client person.

```

```

        Part 2: the identification of the message. Part 3: the
identification of the client application.
        [Schema version: 1.0; Date: 2007-07-24; Author: Ignaz
Wanders]</xs:documentation>
        </xs:annotation>
        <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/common"/>
        <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/isocodes"/>
        <xs:element name="context" type="con:Context"/>
        <xs:complexType name="Context">
        <xs:annotation>
        <xs:documentation>Identification of the context. Part 1: the
identification of the client person.
                Part 2: the identification of the message. Part 3: the
identification of the client application.</xs:documentation>
        </xs:annotation>
        <xs:sequence>
        <xs:element name="client" type="con:Client"/>
        <xs:element name="message" type="con:Message"/>
        <xs:element name="application" type="con:Application"/>
        </xs:sequence>
        <xs:attribute name="version" use="required">
        <xs:simpleType>
        <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
        </xs:annotation>
        <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
        </xs:restriction>
        </xs:simpleType>
        </xs:attribute>
        </xs:complexType>
        <xs:complexType name="Client">
        <xs:annotation>
        <xs:documentation>identification of the client. Can be a national-
registry number and/or an electronic ID.</xs:documentation>
        </xs:annotation>
        <xs:sequence>
        <xs:element name="nationalNumber" type="com:PersonNumber">
        <xs:annotation>
        <xs:documentation>The national number of the client
person.</xs:documentation>
        </xs:annotation>
        </xs:element>
        <xs:element name="enterpriseNumber" type="com:EnterpriseNumber"
minOccurs="0">
        <xs:annotation>
        <xs:documentation>The enterprise number of the client in case the
client represents an enterprise.</xs:documentation>
        </xs:annotation>
        </xs:element>
        <xs:element name="eid" type="com:EId" minOccurs="0">
        <xs:annotation>
        <xs:documentation>The electronic ID of the client
person.</xs:documentation>
        </xs:annotation>
        </xs:element>
        <xs:element name="callerId" type="xs:string" minOccurs="0">
        <xs:annotation>
        <xs:documentation>An optional application-dependent ID. For
example, for the notaries this could be the notary ID.</xs:documentation>
        </xs:annotation>
        </xs:element>
        <xs:element name="language" type="iso:Language" minOccurs="0">

```

```

        <xs:annotation>
            <xs:documentation>An optional language indicator for the client.
Communication will be done in this language, as
            far as possible.</xs:documentation>
        </xs:annotation>
    </xs:element>
    <!-- add other elements? -->
</xs:sequence>
</xs:complexType>
<xs:complexType name="Message">
    <xs:annotation>
        <xs:documentation>identification of the message</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="messageId" type="xs:string">
            <xs:annotation>
                <xs:documentation>The client can provide a message ID. This can
be used to trace messages from the client on the FSB server side.
                The FSB may modify this field in the reponse if the
backend also provides a message ID. This is especially
                the case with asynchronous
communication.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="correlationId" type="xs:string" minOccurs="0">
            <xs:annotation>
                <xs:documentation>An optional correlation ID can be set by the
client. The FSB will not modify this field, and the client
                can use this to correlate responses to requests. This
is especially the case with asynchronous communication.</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="Application">
    <xs:annotation>
        <xs:documentation>Identification of the client application performing
a request.</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="application" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:schema>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:cri="urn://fsb.belgium.be/fphp/v3_0/searchcriteria"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
xmlns:code="urn://fsb.belgium.be/fphp/v3_0/codes"
xmlns:iso="urn://fsb.belgium.be/fphp/v3_0/isocodes"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/searchcriteria"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
        <xs:annotation>
            <xs:documentation xml:lang="en">Container for the search criteria that
can be specified by the client.
                [Schema version: 1.0; Date: 2007-07-24; Author: Ignaz Wanders]
                [Schema version: 1.1; Date: 2008-03-26; Author: Ignaz Wanders]
                added search by address criteria</xs:documentation>
        </xs:annotation>
        <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/common"/>
        <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/codes"/>
        <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/isocodes"/>
        <xs:element name="searchCriteria" type="cri:SearchCriteria"/>

```

```

<xs:complexType name="SearchCriteria">
  <xs:sequence>
    <xs:element name="registers" type="cri:RegisterList"/>
    <xs:choice>
      <xs:element name="searchByNumber" type="cri:SearchByNumber"/>
      <xs:element name="searchByPhonetics" type="cri:SearchByPhonetics"/>
      <xs:element name="searchByAddress" type="cri:SearchByAddress"/>
    </xs:choice>
  </xs:sequence>
  <xs:attribute name="version" use="required">
    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
      </xs:annotation>
      <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
        <xs:enumeration value="1.1"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
<xs:complexType name="RegisterList">
  <xs:sequence>
    <xs:element name="register" type="code:Register"
maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="SearchByNumber">
  <xs:sequence>
    <xs:element name="number" type="com:PersonNumber"/>
  </xs:sequence>
  <xs:attribute name="version" use="required">
    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
      </xs:annotation>
      <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
<xs:complexType name="SearchByPhonetics">
  <xs:sequence>
    <xs:element name="firstName" minOccurs="0">
      <xs:annotation>
        <xs:documentation>First name of the person to look
for</xs:documentation>
      </xs:annotation>
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:whiteSpace value="collapse"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
    <xs:element name="middleName" minOccurs="0">
      <xs:annotation>
        <xs:documentation>Second first_name of the person to look
for</xs:documentation>
      </xs:annotation>
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:whiteSpace value="collapse"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="lastName">
    <xs:annotation>
        <xs:documentation>Last name of the person to look
for</xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:whiteSpace value="collapse"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="birthDate" type="com:Date">
    <xs:annotation>
        <xs:documentation>Birthdate of the person, may be incomplete,
possible combination are yyyy-mm-dd, yyyy-mm, yyyy</xs:documentation>
    </xs:annotation>
</xs:element>
<xs:element name="gender" type="iso:Gender" minOccurs="0"/>
<xs:element name="birthDateTolerance" minOccurs="0">
    <xs:annotation>
        <xs:documentation>Amount that the birthdate of the result may
differ from the specified one.
                Must be specified unless the BirthDate field contains a
complete date
                (in which case 0 is assumed). Unit type depends on the
given format of Birthdate:
                yyyyymmdd: days; yyyyym: months; yyyy:
years</xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:integer">
            <xs:whiteSpace value="collapse"/>
            <xs:minInclusive value="0"/>
            <xs:maxInclusive value="30"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="nisCode" minOccurs="0">
    <xs:annotation>
        <xs:documentation>NIS code of addresses to search for.
                (This option is only available in the National
Register!)</xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:whiteSpace value="collapse"/>
            <xs:pattern value="\d{5}"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element name="maxReturnData" minOccurs="0">
    <xs:annotation>
        <xs:documentation>If this number is too high, an error is
returned.</xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:integer">
            <xs:whiteSpace value="collapse"/>
            <xs:minInclusive value="0"/>
            <xs:maxInclusive value="100"/>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="version" use="required">
    <xs:simpleType>
        <xs:annotation>
            <xs:documentation>version 1.0: initial version</xs:documentation>
        </xs:annotation>
        <xs:restriction base="com:Version">
            <xs:enumeration value="1.0"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
<xs:complexType name="SearchByAddress">
    <xs:sequence>
        <xs:element name="postcode">
            <xs:annotation>
                <xs:documentation>postal code</xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:whiteSpace value="collapse"/>
                    <xs:pattern value="\d{4}"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="streetcode">
            <xs:annotation>
                <xs:documentation>street code</xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:whiteSpace value="collapse"/>
                    <xs:pattern value="\d{4}"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="houzenumber">
            <xs:annotation>
                <xs:documentation>house number. Must be maximum 4 digits, which
is
                a national registry restriction.</xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:whiteSpace value="collapse"/>
                    <xs:pattern value="\d{1,4}"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="busnumber" minOccurs="0">
            <xs:annotation>
                <xs:documentation>bus number. Can be maximum 4 characters, which
is
                a national registry restriction. Note: A-12 is not the same
as A/12.
                If you supply 'XXXX', all bus numbers at that address are
taken.</xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">

```

```

        <xs:whiteSpace value="collapse"/>
        <xs:pattern value="\w{4}"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="selectioncode">
    <xs:annotation>
        <xs:documentation>selection code. Must be either zero or one.
            0: retrieve names of all the people living there
            1: retrieve only names of the head-of-families living
there</xs:documentation>
    </xs:annotation>
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:whiteSpace value="collapse"/>
            <xs:pattern value="[01]"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute name="version" use="required">
    <xs:simpleType>
        <xs:annotation>
            <xs:documentation>version 1.0: initial version</xs:documentation>
        </xs:annotation>
        <xs:restriction base="com:Version">
            <xs:enumeration value="1.0"/>
        </xs:restriction>
    </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:schema>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:fil="urn://fsb.belgium.be/fphp/v3_0/searchfilter"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/searchfilter"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
    <xs:annotation>
        <xs:documentation xml:lang="en">[Schema version: 1.0; Date: 2007-07-24;
Author: Ignaz Wanders]</xs:documentation>
    </xs:annotation>
    <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/common"/>
    <xs:element name="searchFilter" type="fil:SearchFilter"/>
    <xs:complexType name="SearchFilter">
        <xs:sequence>
            <xs:element name="summary" type="xs:boolean">
                <xs:annotation>
                    <xs:documentation>Defines whether a summary should be created.
The summary consists of
                    basic data, such as number, name, address, and is by
definition the current data.
                    The summary will be OK for most ordinary
requests.</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="details" type="fil:Details"/>
            <xs:choice>
                <xs:element name="itList" type="fil:ItList"/>
                <xs:element name="filterName" type="xs:string"/>
            </xs:choice>
        </xs:sequence>
    </xs:complexType>
</xs:schema>
</xs:attribute name="version" use="required">

```

```

    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
      </xs:annotation>
      <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
<xs:complexType name="ItList">
  <xs:sequence>
    <xs:element name="it" type="fil:It" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
<xs:simpleType name="It">
  <xs:restriction base="xs:string">
    <xs:enumeration value="IT000"/>
    <xs:enumeration value="IT001"/>
    <xs:enumeration value="IT002"/>
    <xs:enumeration value="IT003"/>
    <xs:enumeration value="IT004"/>
    <xs:enumeration value="IT005"/>
    <xs:enumeration value="IT010"/>
    <xs:enumeration value="IT011"/>
    <xs:enumeration value="IT012"/>
    <xs:enumeration value="IT013"/>
    <xs:enumeration value="IT018"/>
    <xs:enumeration value="IT019"/>
    <xs:enumeration value="IT020"/>
    <xs:enumeration value="IT022"/>
    <xs:enumeration value="IT023"/>
    <xs:enumeration value="IT024"/>
    <xs:enumeration value="IT026"/>
    <xs:enumeration value="IT027"/>
    <xs:enumeration value="IT031"/>
    <xs:enumeration value="IT070"/>
    <xs:enumeration value="IT100"/>
    <xs:enumeration value="IT101"/>
    <xs:enumeration value="IT120"/>
    <xs:enumeration value="IT123"/>
    <xs:enumeration value="IT140"/>
    <xs:enumeration value="IT141"/>
    <xs:enumeration value="IT150"/>
    <xs:enumeration value="IT151"/>
    <xs:enumeration value="IT210"/>
    <xs:enumeration value="IT252"/>
    <xs:enumeration value="IT253"/>
    <xs:enumeration value="IT254"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="Details">
  <xs:restriction base="xs:string">
    <xs:enumeration value="ALL">
      <xs:annotation>
        <xs:documentation>Provides all details: historic and current
ones</xs:documentation>
      </xs:annotation>
    </xs:enumeration>
    <xs:enumeration value="CURRENT">
      <xs:annotation>
        <xs:documentation>Provides only the current details, no historic
ones</xs:documentation>
      </xs:annotation>
    </xs:enumeration>
  </xs:restriction>
</xs:simpleType>

```

```

        </xs:annotation>
    </xs:enumeration>
    <xs:enumeration value="NONE">
        <xs:annotation>
            <xs:documentation>Provides no details at all. This only makes
sense in combination
                with the summary, otherwise the client will receive
nothing.</xs:documentation>
        </xs:annotation>
    </xs:enumeration>
</xs:restriction>
</xs:simpleType>
</xs:schema>
<!-- Created with Liquid XML Studio 1.0.7.0 (http://www.liquid-
technologies.com) -->
<xs:schema xmlns:r="http://www.ibz.rrn.fgov.be/XSD/xm25/rn25Schema"
xmlns:xs="http://www.w3.org/2001/XMLSchema" attributeFormDefault="unqualified"
elementFormDefault="qualified"
targetNamespace="http://www.ibz.rrn.fgov.be/XSD/xm25/rn25Schema"
version="25.2007.02">
    <xs:element name="Document" type="r:DocumentType">
        <xs:annotation>
            <xs:documentation>Racine</xs:documentation>
        </xs:annotation>
    </xs:element>
    <xs:complexType name="IT000">
        <xs:annotation>
            <xs:documentation>NumÃ©ro d'identification</xs:documentation>
        </xs:annotation>
        <xs:sequence>
            <xs:element name="NationalNumber">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element name="NationalNumber"
type="r:NationalNumberRestriction"/>
                        <xs:element name="Date" type="r:DateType"/>
                        <xs:element name="Sex">
                            <xs:annotation>
                                <xs:documentation>1: Male, 2: Female</xs:documentation>
                            </xs:annotation>
                            <xs:simpleType>
                                <xs:restriction base="xs:string">
                                    <xs:enumeration value="1"/>
                                    <xs:enumeration value="2"/>
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
        <xs:attribute default="000" name="Type" type="xs:string"/>
        <xs:attribute name="Status" type="xs:string"/>
        <xs:attribute name="Structure" type="xs:string"/>
    </xs:complexType>
    <xs:complexType name="IT001">
        <xs:annotation>
            <xs:documentation>Commune de rÃ©sidence</xs:documentation>
        </xs:annotation>
        <xs:sequence>
            <xs:element name="Date" type="r:DateType"/>
            <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
            <xs:element name="Residence" type="r:ResidenceType"/>

```

```

<xs:element name="Fusion">
  <xs:annotation>
    <xs:documentation>0: no, 1: yes</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="0"/>
      <xs:enumeration value="1"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="Language">
  <xs:annotation>
    <xs:documentation>1: french, 2: dutch/german</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="1"/>
      <xs:enumeration value="2"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
<xs:attribute default="001" name="Type" type="xs:string"/>
<xs:attribute name="Status" type="xs:string"/>
<xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT002">
  <xs:annotation>
    <xs:documentation>Dossier de rÃ©fÃ©rence</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:element name="NationalNumber" type="r:NationalNumberType"/>
  </xs:sequence>
  <xs:attribute default="002" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT003">
  <xs:annotation>
    <xs:documentation>DÃ©termination de rÃ©sidence</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:choice>
      <xs:element name="InvestigationResult">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Code">
              <xs:annotation>
                <xs:documentation>1: positive, 2:
negative</xs:documentation>
              </xs:annotation>
              <xs:simpleType>
                <xs:restriction base="xs:string">
                  <xs:enumeration value="1"/>
                  <xs:enumeration value="2"/>
                </xs:restriction>
              </xs:simpleType>
            </xs:element>

```

```

        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:sequence>
    <xs:element minOccurs="0" name="Graphic1" type="xs:string"/>
    <xs:element minOccurs="0" name="Graphic2" type="xs:string"/>
</xs:sequence>
</xs:choice>
</xs:sequence>
<xs:attribute default="003" name="Type" type="xs:string"/>
<xs:attribute name="Status" type="xs:string"/>
<xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT004">
    <xs:annotation>
        <xs:documentation>Changement de sexe</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="Sex">
            <xs:annotation>
                <xs:documentation>1: Male, 2: Female</xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:enumeration value="1"/>
                    <xs:enumeration value="2"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element name="Graphic" type="xs:string"/>
    </xs:sequence>
    <xs:attribute default="004" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT005">
    <xs:annotation>
        <xs:documentation>Intention de changer l'adresse</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:choice>
            <xs:element name="OriginPlace" type="r:PlaceType"/>
            <xs:element name="DestinationPlace" type="r:PlaceType"/>
        </xs:choice>
    </xs:sequence>
    <xs:attribute default="005" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT010">
    <xs:annotation>
        <xs:documentation>Changement noms prÃ©noms</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="Name" type="r:NameType"/>
    </xs:sequence>
    <xs:attribute default="010" name="Type" type="xs:string"/>

```

```

    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
  </xs:complexType>
  <xs:complexType name="IT011">
    <xs:annotation>
      <xs:documentation>Pseudonymes</xs:documentation>
    </xs:annotation>
    <xs:sequence>
      <xs:element name="Date" type="r:DateType"/>
      <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
      <xs:element name="Name" type="r:NameType"/>
    </xs:sequence>
    <xs:attribute default="011" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
  </xs:complexType>
  <xs:complexType name="IT012">
    <xs:annotation>
      <xs:documentation>Titre de noblesse</xs:documentation>
    </xs:annotation>
    <xs:sequence>
      <xs:element name="Date" type="r:DateType"/>
      <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
      <xs:element name="NobilityTitle" type="r:NobilityTitleType"/>
    </xs:sequence>
    <xs:attribute default="012" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
  </xs:complexType>
  <xs:complexType name="IT013">
    <xs:annotation>
      <xs:documentation>Modification de nom</xs:documentation>
    </xs:annotation>
    <xs:sequence>
      <xs:element name="Date" type="r:DateType"/>
      <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
      <xs:element name="ModificationType" type="r:ModificationTypeType"/>
      <xs:element name="Graphic" type="xs:string"/>
    </xs:sequence>
    <xs:attribute default="013" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
  </xs:complexType>
  <xs:complexType name="IT018">
    <xs:annotation>
      <xs:documentation>Adresse d'@clar@e
l'@tranger</xs:documentation>
    </xs:annotation>
    <xs:sequence>
      <xs:element name="Date" type="r:DateType"/>
      <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
      <xs:element name="Address" type="r:AddressType"/>
    </xs:sequence>
    <xs:attribute default="018" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
  </xs:complexType>
  <xs:complexType name="IT019">
    <xs:annotation>
      <xs:documentation>D'@clar@e
d'adresse</xs:documentation>
    </xs:annotation>
    <xs:sequence>

```

```

<xs:element name="Date" type="r:DateType"/>
<xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
<xs:element name="Address">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Graphic" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute default="019" name="Type" type="xs:string"/>
<xs:attribute name="Status" type="xs:string"/>
<xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT020">
  <xs:annotation>
    <xs:documentation>Adresse</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:element name="Address">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="ZipCode" type="xs:string"/>
          <xs:element name="Street" type="r:StreetType"/>
          <xs:element name="HouseNumber" type="xs:string"/>
          <xs:element minOccurs="0" name="Box" type="xs:string"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
  <xs:attribute default="020" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT022">
  <xs:annotation>
    <xs:documentation>RÃ©sidence Ã  l'Ã©tranger</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:element minOccurs="0" name="Address">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="PosteDiplomatique"
type="r:PosteDiplomatiqueType"/>
          <xs:element name="Territory" type="r:TerritoryType"/>
          <xs:element name="Address" type="r:AddressType"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
  <xs:attribute default="022" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT023">
  <xs:annotation>
    <xs:documentation>Adresse postale Ã  l'Ã©tranger</xs:documentation>
  </xs:annotation>
  <xs:sequence>

```

```

    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:element minOccurs="0" name="Address" type="r:AddressType"/>
  </xs:sequence>
  <xs:attribute default="023" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT024">
  <xs:annotation>
    <xs:documentation>Adresse de r f rence</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
  </xs:sequence>
  <xs:attribute default="024" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT026">
  <xs:annotation>
    <xs:documentation>Absence temporaire</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:element name="Graphic1" type="xs:string"/>
    <xs:element minOccurs="0" name="Graphic2" type="xs:string"/>
  </xs:sequence>
  <xs:attribute default="026" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT027">
  <xs:annotation>
    <xs:documentation>R sidence l gale</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:element name="Graphic" type="xs:string"/>
  </xs:sequence>
  <xs:attribute default="027" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT031">
  <xs:annotation>
    <xs:documentation>Nationalit </xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:element name="Nationality" type="r:NationalityType"/>
    <xs:element minOccurs="0" name="Reason">
      <xs:complexType>
        <xs:choice>
          <xs:element name="Graphic" type="xs:string"/>
          <xs:sequence>
            <xs:element name="Justification" type="r:JustificationType"/>
            <xs:element name="Place" type="r:PlaceType"/>
          </xs:sequence>
        </xs:choice>
      </xs:complexType>
    </xs:element>
  </xs:sequence>

```

```

        <xs:element minOccurs="0" name="Graphic" type="xs:string"/>
        <xs:element minOccurs="0" name="Country"
type="r:CountryType"/>
    </xs:choice>
</xs:sequence>
</xs:choice>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute default="031" name="Type" type="xs:string"/>
<xs:attribute name="Status" type="xs:string"/>
<xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT070">
    <xs:annotation>
        <xs:documentation>Profession</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="Occupation" type="r:OccupationType"/>
        <xs:element name="SocialCategory" type="r:SocialCategoryType"/>
        <xs:element minOccurs="0" name="Graphic1" type="xs:string"/>
        <xs:element minOccurs="0" name="Graphic2" type="xs:string"/>
    </xs:sequence>
    <xs:attribute default="070" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT100">
    <xs:annotation>
        <xs:documentation>Lieu de naissance</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="ActNumber" type="xs:string"/>
        <xs:element minOccurs="0" name="SuppletoryRegister"
type="xs:string"/>
        <xs:choice>
            <xs:element name="Place1" type="r:PlaceType"/>
            <xs:element name="Place2" type="r:GraphicPlaceType"/>
        </xs:choice>
    </xs:sequence>
    <xs:attribute default="100" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT101">
    <xs:annotation>
        <xs:documentation>Date de naissance dÃ©clarÃ©e</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="DeclaredBirthDate" type="r:DateType"/>
        <xs:element name="Certificate" type="r:CertificateType"/>
    </xs:sequence>
    <xs:attribute default="101" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT120">

```

```

<xs:annotation>
  <xs:documentation>Etat civil</xs:documentation>
</xs:annotation>
<xs:sequence>
  <xs:element name="Date" type="r:DateType"/>
  <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
  <xs:element name="CivilState" type="r:CivilStateType"/>
  <xs:element minOccurs="0" name="Spouse">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="NationalNumber" type="r:NationalNumberType"/>
        <xs:element minOccurs="0" name="Name" type="r:NameType"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="0" name="Lieu" type="r:LieuType"/>
  <xs:element minOccurs="0" name="ActNumber" type="xs:string"/>
  <xs:element minOccurs="0" name="SuppletoryRegister"
type="xs:string"/>
</xs:sequence>
<xs:attribute default="120" name="Type" type="xs:string"/>
<xs:attribute name="Status" type="xs:string"/>
<xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT123">
  <xs:annotation>
    <xs:documentation>Cohabitation legale</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    <xs:choice>
      <xs:element name="Declaration">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="RegistrationDate" type="r:DateType"/>
            <xs:element name="Partner">
              <xs:complexType>
                <xs:sequence>
                  <xs:element name="NationalNumber"
type="r:NationalNumberType"/>
                  <xs:element minOccurs="0" name="Name"
type="r:NameType"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
            <xs:element name="Place" type="r:PlaceType"/>
            <xs:element minOccurs="0" name="Notary">
              <xs:complexType>
                <xs:sequence>
                  <xs:element minOccurs="0" name="NameNotary"
type="xs:string"/>
                  <xs:element minOccurs="0" name="Place"
type="r:PlaceType"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:choice>
  </xs:sequence>
  <xs:element name="Cessation">
    <xs:complexType>
      <xs:sequence>

```

```

        <xs:element name="Reason" type="r:Reason"/>
        <xs:element name="Place" type="r:PlaceType"/>
        <xs:element minOccurs="0" name="Notification">
            <xs:complexType>
                <xs:sequence>
                    <xs:element minOccurs="0" name="NotificationDate"
type="r:DateType"/>
                    <xs:element minOccurs="0" name="Place"
type="r:PlaceType"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    </xs:choice>
</xs:sequence>
<xs:attribute default="123" name="Type" type="xs:string"/>
<xs:attribute name="Status" type="xs:string"/>
<xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT140">
    <xs:annotation>
        <xs:documentation>Chef de mÃ@nage</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="FamilyRole" type="r:FamilyRoleType"/>
        <xs:element minOccurs="0" name="NationalNumber"
type="r:NationalNumberType"/>
        <xs:element minOccurs="0" name="Name" type="r:NameType"/>
    </xs:sequence>
    <xs:attribute default="140" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT141">
    <xs:annotation>
        <xs:documentation>Membre d'un mÃ@nage</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="FamilyRole" type="r:FamilyRoleType"/>
        <xs:element minOccurs="0" name="NationalNumber"
type="r:NationalNumberType"/>
        <xs:element minOccurs="0" name="Name" type="r:NameType"/>
        <xs:element minOccurs="0" name="Graphic" type="xs:string"/>
    </xs:sequence>
    <xs:attribute default="141" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT150">
    <xs:annotation>
        <xs:documentation>DÃ@cÃ"s</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="ActNumber" type="xs:string"/>

```

```

        <xs:element minOccurs="0" name="SupplementaryRegister"
type="xs:string"/>
        <xs:choice>
            <xs:element name="Place1" type="r:PlaceType"/>
            <xs:element name="Place2" type="r:GraphicPlaceType"/>
        </xs:choice>
    </xs:sequence>
    <xs:attribute default="150" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT151">
    <xs:annotation>
        <xs:documentation>Disparition</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="Graphic" type="xs:string"/>
    </xs:sequence>
    <xs:attribute default="151" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT210">
    <xs:annotation>
        <xs:documentation>Registre d'inscription</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="RegistrationRegister"
type="r:RegistrationRegisterType"/>
    </xs:sequence>
    <xs:attribute default="210" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT252">
    <xs:annotation>
        <xs:documentation>Adresse non communicable</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
        <xs:element name="StartDate" type="r:DateType"/>
        <xs:element name="EndDate" type="r:DateType"/>
    </xs:sequence>
    <xs:attribute default="252" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:complexType name="IT253">
    <xs:annotation>
        <xs:documentation>Date de collecte</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
    </xs:sequence>
    <xs:attribute default="253" name="Type" type="xs:string"/>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Structure" type="xs:string"/>

```

```

</xs:complexType>
<xs:complexType name="IT254">
  <xs:annotation>
    <xs:documentation>Date de la derni re MAJ</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element minOccurs="0" name="DelDate" type="r:DateType"/>
  </xs:sequence>
  <xs:attribute default="254" name="Type" type="xs:string"/>
  <xs:attribute name="Status" type="xs:string"/>
  <xs:attribute name="Structure" type="xs:string"/>
</xs:complexType>
<xs:simpleType name="NationalNumberRestriction">
  <xs:annotation>
    <xs:documentation>11 chiffres</xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:string">
    <xs:pattern value="\d{11}"/>
  </xs:restriction>
</xs:simpleType>
<xs:complexType name="AddressType">
  <xs:sequence>
    <xs:element minOccurs="0" name="Country" type="r:CountryType"/>
    <xs:element minOccurs="0" name="Graphic1" type="xs:string"/>
    <xs:element minOccurs="0" name="Graphic2" type="xs:string"/>
    <xs:element minOccurs="0" name="Graphic3" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="BelgianJudgementType">
  <xs:sequence>
    <xs:element name="Tribunal" type="r:TribunalType"/>
    <xs:element name="Date" type="r:DateType"/>
    <xs:element name="Place" type="r:PlaceType"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="CertificateType">
  <xs:sequence>
    <xs:element name="Code" type="xs:string"/>
    <xs:element name="Label" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="CivilStateType">
  <xs:sequence>
    <xs:element name="Code" type="xs:string"/>
    <xs:element name="Label" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="CountryType">
  <xs:sequence>
    <xs:element name="Code" type="xs:string"/>
    <xs:element name="Label" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="DateType">
  <xs:annotation>
    <xs:documentation>Century, Year, Month, Day</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element minOccurs="0" name="Century">
      <xs:simpleType>
        <xs:restriction base="xs:string">
          <xs:enumeration value="18"/>
        </xs:restriction>
      </xs:simpleType>
    </xs:element>
  </xs:sequence>

```

```

        <xs:enumeration value="19"/>
        <xs:enumeration value="20"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" name="Year">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:pattern value="\d{2}"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" name="Month">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:pattern value="\d{2}"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" name="Day">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:pattern value="\d{2}"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="DocumentType">
    <xs:sequence>
        <xs:element minOccurs="0" name="Date" type="r:DateType"/>
        <xs:element minOccurs="0" name="FileInfo" type="r:FileInfoType"/>
    </xs:sequence>
    <xs:attribute name="Status" type="xs:string"/>
    <xs:attribute name="Length" type="xs:unsignedInt"/>
    <xs:attribute name="SchemaVersion" type="xs:string"/>
</xs:complexType>
<xs:complexType name="FamilyRoleType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="FileInfoType">
    <xs:all>
        <xs:element name="NationalNumber" type="r:IT000"/>
        <xs:element name="FileOwner">
            <xs:complexType>
                <xs:sequence>
                    <xs:element maxOccurs="unbounded" name="Residences"
type="r:IT001"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" name="FileReference" type="r:IT002"/>
        <xs:element minOccurs="0" name="AscertainedLegalMainAddresses">
            <xs:complexType>
                <xs:sequence>
                    <xs:element maxOccurs="unbounded"
name="AscertainedLegalMainAddress" type="r:IT003"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:all>

```

```

<xs:element minOccurs="0" name="NewGender" type="r:IT004"/>
<xs:element minOccurs="0" name="AddressChangeIntention">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="Address"
type="r:IT005"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="Names">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="Name" type="r:IT010"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="Pseudonyms">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="Pseudonym"
type="r:IT011"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="NobilityTitles">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="NobilityTitle"
type="r:IT012"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="NameModifications">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="NameModification"
type="r:IT013"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="AddressDeclarationAbroad">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="Address"
type="r:IT018"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="AddressChangeDeclaration"
type="r:IT019"/>
<xs:element minOccurs="0" name="LegalMainAddresses">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="LegalMainAddress"
type="r:IT020"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="ResidenceAbroad">
  <xs:complexType>
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="ResidenceAbroad"
type="r:IT022"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="PostalAddressAbroad">
    <xs:complexType>
        <xs:sequence>
            <xs:element maxOccurs="unbounded" name="PostalAddressAbroad"
type="r:IT023" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="AddressReferences">
    <xs:complexType>
        <xs:sequence>
            <xs:element maxOccurs="unbounded" name="AddressReference"
type="r:IT024" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="TemporaryAbsences">
    <xs:complexType>
        <xs:sequence>
            <xs:element maxOccurs="unbounded" name="TemporaryAbsence"
type="r:IT026" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="LegalResidences">
    <xs:complexType>
        <xs:sequence>
            <xs:element maxOccurs="unbounded" name="LegalResidence"
type="r:IT027" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="Nationalities">
    <xs:complexType>
        <xs:sequence>
            <xs:element maxOccurs="unbounded" name="Nationality"
type="r:IT031" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="Occupations">
    <xs:complexType>
        <xs:sequence>
            <xs:element maxOccurs="unbounded" name="Occupation"
type="r:IT070" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="BirthPlace" type="r:IT100" />
<xs:element minOccurs="0" name="DeclaredBirthDate" type="r:IT101" />
<xs:element minOccurs="0" name="CivilStates">
    <xs:complexType>
        <xs:sequence>
            <xs:element maxOccurs="unbounded" name="CivilState"
type="r:IT120" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element minOccurs="0" name="LegalCohabitations">
    <xs:complexType>

```

```

                <xs:sequence>
                    <xs:element maxOccurs="unbounded" name="LegalCohabitation"
type="r:IT123" />
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" name="FamilyMembers">
            <xs:complexType>
                <xs:sequence>
                    <xs:element maxOccurs="unbounded" name="FamilyMember"
type="r:IT140" />
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" name="HeadOfFamily">
            <xs:complexType>
                <xs:sequence>
                    <xs:element maxOccurs="unbounded" name="HeadOfFamily"
type="r:IT141" />
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" name="Decease" type="r:IT150" />
        <xs:element minOccurs="0" name="Disappearance" type="r:IT151" />
        <xs:element minOccurs="0" name="RegistrationRegisters">
            <xs:complexType>
                <xs:sequence>
                    <xs:element maxOccurs="unbounded" name="RegistrationRegister"
type="r:IT210" />
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" name="NotCommunicable" type="r:IT252" />
        <xs:element minOccurs="0" name="CreationDate" type="r:IT253" />
        <xs:element minOccurs="0" name="LastUpdateDate" type="r:IT254" />
    </xs:all>
    <xs:attribute name="Status" type="xs:string" />
</xs:complexType>
<xs:complexType name="ForeignJudgementType">
    <xs:sequence>
        <xs:element name="Place" type="r:GraphicPlaceType" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="GraphicPlaceType">
    <xs:sequence>
        <xs:element name="Country" type="r:CountryType" />
        <xs:element minOccurs="0" name="Graphic" type="xs:string" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="JustificationType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string" />
        <xs:element name="Label" type="xs:string" />
    </xs:sequence>
</xs:complexType>
<xs:complexType name="LieuType">
    <xs:choice>
        <xs:element name="Place1" type="r:PlaceType" />
        <xs:element name="Place2" type="r:GraphicPlaceType" />
        <xs:element name="Place3">
            <xs:complexType>
                <xs:sequence>
                    <xs:choice>

```

```

        <xs:element minOccurs="0" name="BelgianJudgement"
type="r:BelgianJudgementType"/>
        <xs:element minOccurs="0" name="ForeignJudgement"
type="r:ForeignJudgementType"/>
    </xs:choice>
    <xs:element minOccurs="0" name="Transcription">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="Date" type="r:DateType"/>
                <xs:element name="Place" type="r:PlaceType"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:choice>
</xs:complexType>
<xs:complexType name="ModificationTypeType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="NameType">
    <xs:sequence>
        <xs:element maxOccurs="15" name="LastName">
            <xs:complexType>
                <xs:sequence>
                    <xs:element maxOccurs="unbounded" name="Code"
type="xs:string"/>
                    <xs:element name="Label" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="14" name="FirstName">
            <xs:complexType>
                <xs:sequence>
                    <xs:element minOccurs="0" maxOccurs="unbounded" name="Code"
type="xs:string"/>
                    <xs:element minOccurs="0" name="Label" type="xs:string"/>
                </xs:sequence>
                <xs:attribute name="UsedFirstName" type="xs:string">
                    <xs:annotation>
                        <xs:documentation>Contains "YES" if this attribute si
present</xs:documentation>
                    </xs:annotation>
                </xs:attribute>
            </xs:complexType>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="NationalNumberType">
    <xs:sequence>
        <xs:element name="NationalNumber"
type="r:NationalNumberRestriction"/>
        <xs:element name="Date" type="r:DateType"/>
        <xs:element name="Sex">
            <xs:annotation>
                <xs:documentation>1: Male, 2: Female</xs:documentation>
            </xs:annotation>
            <xs:simpleType>
                <xs:restriction base="xs:string">

```

```

        <xs:enumeration value="1"/>
        <xs:enumeration value="2"/>
    </xs:restriction>
</xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
<xs:complexType name="NationalityType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="NobilityTitleType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="OccupationType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="PlaceType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="PosteDiplomatiqueType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="ResidenceType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="RegistrationRegisterType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="SocialCategoryType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="StreetType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="TerritoryType">
    <xs:sequence>

```

```

        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="TribunalType">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="Reason">
    <xs:sequence>
        <xs:element name="Code" type="xs:string"/>
        <xs:element name="Label" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:schema>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:sum="urn://fsb.belgium.be/fphp/v3_0/summary"
xmlns:code="urn://fsb.belgium.be/fphp/v3_0/codes"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
xmlns:iso="urn://fsb.belgium.be/fphp/v3_0/isocodes"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/summary"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.1">
    <xs:annotation>
        <xs:documentation xml:lang="en">[Schema version: 1.0; Date: 2007-07-24;
Author: Ignaz Wanders]
        [Schema version: 1.1; Date: 2008-02-14; Author: Ignaz
Wanders]</xs:documentation>
    </xs:annotation>
    <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/common"/>
    <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/codes"/>
    <xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/isocodes"/>
    <xs:element name="summary" type="sum:Summary"/>
    <xs:complexType name="Summary">
        <xs:annotation>
            <xs:documentation xml:lang="en">The summary provides limited current
information.
                [Schema version: 1.0; Date: 2007-07-24; Author: Ignaz Wanders]
                [Schema version: 1.1; Date: 2008-03-18; Author: Ignaz Wanders]
                Added indicator fields ad_can_be_communicated and
isDisappeared</xs:documentation>
        </xs:annotation>
        <xs:sequence>
            <xs:element name="source" type="code:Register"/>
            <xs:element name="number" type="com:PersonNumber"/>
            <xs:element name="status" type="xs:integer">
                <xs:annotation>
                    <xs:documentation>Possible values:
                        0: OK
                        1: error
                        3: person not found
                        4: person scratched from register: please check other
register for more up-to-date results
                        5: person referenced: please check again with referenced
number
                        6: back-end access violation</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="gender" type="iso:Gender"/>
            <xs:element name="lastName" type="xs:string"/>
            <xs:element name="firstName" type="xs:string" minOccurs="0"/>

```

```

        <xs:element name="middleName" type="xs:string" minOccurs="0">
            <xs:annotation>
                <xs:documentation>Second and following
firstname</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="birthDate" type="com:Date" minOccurs="0"/>
        <xs:element name="birth_place_nis_code" type="xs:string"
minOccurs="0"/>
        <xs:element name="birth_place_description" type="xs:string"
minOccurs="0"/>
        <xs:element name="birth_country_code" type="iso:Country"
minOccurs="0"/>
        <xs:element name="nationality_code" type="iso:Country"
minOccurs="0"/>
        <xs:element name="isAlive" type="xs:boolean" minOccurs="0"/>
        <xs:element name="marital_status_code" type="xs:string"
minOccurs="0"/>
        <xs:element name="ad_street_code" type="xs:string" minOccurs="0"/>
        <xs:element name="ad_street_name" type="xs:string" minOccurs="0"/>
        <xs:element name="ad_street_number" type="xs:string" minOccurs="0"/>
        <xs:element name="ad_post_box" type="xs:string" minOccurs="0"/>
        <xs:element name="ad_nis_code" type="xs:string" minOccurs="0"/>
        <xs:element name="ad_post_code" type="xs:string" minOccurs="0"/>
        <xs:element name="ad_city" type="xs:string" minOccurs="0"/>
        <!-- for unstructured (declared) address data -->
        <xs:element name="ad_declared_free_format" type="xs:string"
minOccurs="0"/>
        <!-- for unstructured (foreign) address data -->
        <xs:element name="ad_foreign_free_format_1" type="xs:string"
minOccurs="0"/>
        <xs:element name="ad_foreign_free_format_2" type="xs:string"
minOccurs="0"/>
        <xs:element name="ad_foreign_free_format_3" type="xs:string"
minOccurs="0"/>
        <!-- for unstructured (foreign) declared address data -->
        <xs:element name="ad_foreign_declared_free_format_1" type="xs:string"
minOccurs="0"/>
        <xs:element name="ad_foreign_declared_free_format_2" type="xs:string"
minOccurs="0"/>
        <xs:element name="ad_foreign_declared_free_format_3" type="xs:string"
minOccurs="0"/>
        <!-- end of free-format address fields -->
        <xs:element name="ad_country_code" type="iso:Country" minOccurs="0"/>
        <xs:element name="ad_country_name" type="xs:string" minOccurs="0"/>
        <!-- indicators -->
        <xs:element name="ad_can_be_communicated" type="xs:boolean"
minOccurs="0"/>
        <xs:element name="isDisappeared" type="xs:boolean" minOccurs="0"/>
    </xs:sequence>
    <xs:attribute name="version" use="required">
        <xs:simpleType>
            <xs:annotation>
                <xs:documentation>version 1.0: initial version, based on
KFBN/FRNB requested information
                    version 1.1: added optional ad_type + ad_free_format
element
                    version 1.2: Added optional ad_can_be_communicated +
isDisappeared</xs:documentation>
            </xs:annotation>
            <xs:restriction base="com:Version">
                <xs:enumeration value="1.0"/>
                <xs:enumeration value="1.1"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:attribute>

```

```

        <xs:enumeration value="1.2"/>
    </xs:restriction>
</xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:schema>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:err="urn://fsb.belgium.be/fphp/v3_0/error"
xmlns:com="urn://fsb.belgium.be/fphp/v3_0/common"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/error"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
    <xs:annotation>
        <xs:documentation xml:lang="en">Definition of the error object.
        [Schema version: 1.0; Date: 2007-07-24; Author: Ignaz
Wanders]</xs:documentation>
    </xs:annotation>
<xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/common"/>
<xs:element name="error" type="err:Error"/>
<xs:complexType name="Error">
    <xs:annotation>
        <xs:documentation>Definition of the error object.</xs:documentation>
    </xs:annotation>
    <xs:sequence>
        <xs:element name="id" type="xs:string" minOccurs="0">
            <xs:annotation>
                <xs:documentation>An identifier for the error. This is generally
the type of exception, such as
                NullPointerException, XmlException,
etc.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="code" type="xs:string">
            <xs:annotation>
                <xs:documentation>The error code.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="description" type="xs:string">
            <xs:annotation>
                <xs:documentation>The description of the error
code.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="stackTrace" type="xs:string" minOccurs="0">
            <xs:annotation>
                <xs:documentation>The stacktrace of the error. This element is
purely technical in nature, and is only of
                use in rare occasions.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="suggested_action" type="xs:string" minOccurs="0">
            <xs:annotation>
                <xs:documentation>The suggested action to take after the error
has been received.</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="cause" type="err:Error" minOccurs="0">
            <xs:annotation>
                <xs:documentation>The cause of the error could be another error.
If so, that error is provided here.
                There can be a whole stack of errors. (Beware of infite
loop when using this element.)</xs:documentation>
            </xs:annotation>

```

```

    </xs:element>
  </xs:sequence>
  <xs:attribute name="version" use="required">
    <xs:simpleType>
      <xs:annotation>
        <xs:documentation>version 1.0: initial version</xs:documentation>
      </xs:annotation>
      <xs:restriction base="com:Version">
        <xs:enumeration value="1.0"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:attribute>
</xs:complexType>
</xs:schema>
  <!-- edited with XML Spy v4.0.1 U (http://www.xmlspy.com) by Paul
Stijfhals (Recherche) -->
  <xs:schema xmlns:iso="urn://fsb.belgium.be/fphp/v3_0/isocodes"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/isocodes"
elementFormDefault="qualified" attributeFormDefault="unqualified">
  <xs:annotation>
    <xs:documentation xml:lang="en">Schema version: 1.0 RC3
      Date: 2005-05-04
      Author: Ignaz Wanders</xs:documentation>
  </xs:annotation>
  <xs:simpleType name="Language">
    <xs:annotation>
      <xs:documentation xml:lang="en">Language codes follow the ISO-639-1
two-letter code standards.
      For details, see http://www.loc.gov/standards/iso639-
2/iso639jac.html

```

Validation rules:
- two lower case letters

Regular expression: [a-z]{2}

Examples: nl, fr, de, en, es, ...

Notes.

1. The xs:language type has a facet ([a-zA-Z]{1,8})(-[a-zA-Z0-9]{1,8})* which allows more than two characters. For example to denote regional languages.
2. For undetermined languages, ISO reserves the three-letter code "und". For this reason, the two-letter restriction is not enforced in the schema.</xs:documentation>

```

  </xs:annotation>
  <xs:restriction base="xs:language"/>
</xs:simpleType>
<xs:simpleType name="Country">
  <xs:annotation>
    <xs:documentation xml:lang="en">Country codes must be in the ISO-3166
two-letter format.
    For a complete list, see
    http://www.iso.org/en/prods-services/iso3166ma/02iso-3166-
code-lists/index.html
    The FSB will translate the ISO code into specific KBO codes, if
required.

```

The ISO standards permit certain two-letter codes to be customized by users. This allows for the following codes, which can be used withing the PROVE application:

	ISO CODE	KBO CODE	meaning
nationalities)	XA	900	stateless (when applied to
nationalities)	XB	901	not yet proven (when applied to
nationalities)	XC	992	moved to abroad (when applied
	XD	995	at sea (international waters)
	XE	999	undetermined

Validation rules:
- two upper case letters

Regular expression: [A-Z]{2}

Examples: BE, NL, FR, DE, GB, ES, ...

(Note that UK is not a valid country code!)</xs:documentation>

</xs:annotation>

<xs:restriction base="xs:string">

<xs:pattern value="[A-Z]{2}"/>

</xs:restriction>

</xs:simpleType>

<xs:simpleType name="Currency">

<xs:annotation>

<xs:documentation xml:lang="en">Currency codes must follow the ISO-4217 code standards. These are three-letter codes

derived from the ISO-639-1 two-letter country codes. For details, see

http://www.bsi-global.com/British_Standards/currency/index.xalter

Validation rules:
- three upper case letters

Regular expression: [A-Z]{3}

Examples: EUR, GBP, USD, ...</xs:documentation>

</xs:annotation>

<xs:restriction base="xs:string">

<xs:pattern value="[A-Z]{3}"/>

</xs:restriction>

</xs:simpleType>

<xs:simpleType name="BIC">

<xs:annotation>

<xs:documentation xml:lang="en">The type definition of a "Bank Identifier Code" (BIC), specified in ISO 9362.

For details, see
http://www.swift.com/biconline/index.cfm?fuseaction=display_aboutbic

Validation rules:
- The length is 8 or 11 characters.
- First 4 chars are alphabetic and denote the bank code
- 5th and 6th char are an ISO country code
- 7th and 8th char are alphanumeric and denote the region within a country
- 9th - 11th char are the alphanumeric branch code
- A BIC code must be in upper case letters

Regular expression: [A-Z]{6}[A-Z0-9]{2}([A-Z0-9]{3}){0,1}

Examples: ABNAFRPP, GEBABEBB04A, ...</xs:documentation>

</xs:annotation>

<xs:restriction base="xs:string">

<xs:pattern value="[A-Z]{6}[A-Z0-9]{2}([A-Z0-9]{3}){0,1}"/>

</xs:restriction>

</xs:simpleType>

<xs:simpleType name="IBAN">

<xs:annotation>

<xs:documentation xml:lang="en">The type definition of an international bank account number (IBAN), specified in ISO 13616.

Validation rules:

- The length is up to 34 characters
- The first two characters are the ISO two-letter country code
- The 3rd and 4th character are numeric control digits
- The 5th to the last char are alphanumeric
- For the calculation of the control digits:
 - o move the first four chars to the end of the number
 - o convert each alphabetic char in the number to a digit

according to a conversion

table: A=10, B=11, C=12, ..., Y=34, Z=35

Note: each letter is converted to two digits, so the number of chars increases

- o calculate the mod 97 of the full number: it must be equal to one

Regular expression: [A-Z]{2}\d{2}[A-Z0-9]{1,30}

Examples: BE68539007547034, FR1420041010050500013M02606,

GB29NWBK60161331926819</xs:documentation>

</xs:annotation>

<xs:restriction base="xs:string">

<xs:pattern value="[A-Z]{2}\d{2}[A-Z0-9]{1,30}"/>

</xs:restriction>

</xs:simpleType>

<xs:simpleType name="Gender">

<xs:annotation>

<xs:documentation xml:lang="en">The type definition for a gender must follow the ISO 5128 specification

The following data items and codes are used

Not known 0

Male 1

Female 2

Not specified 9</xs:documentation>

</xs:annotation>

<xs:restriction base="xs:integer">

<xs:maxInclusive value="2"/>

<xs:minInclusive value="0"/>

</xs:restriction>

</xs:simpleType>

</xs:schema>

<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"

xmlns:code="urn://fsb.belgium.be/fphp/v3_0/codes"

xmlns:iso="urn://fsb.belgium.be/fphp/v3_0/isocodes"

xmlns:kbo="urn://fsb.belgium.be/fphp/v3_0/kbocodes"

xmlns:nr="urn://fsb.belgium.be/fphp/v3_0/nrcodes"

targetNamespace="urn://fsb.belgium.be/fphp/v3_0/codes"

elementFormDefault="qualified" attributeFormDefault="unqualified"

version="1.0">

<xs:annotation>

<xs:documentation xml:lang="en">Definition of general codes used in the FPHP service.

[Schema version: 1.0; Date: 2007-07-24; Author: Ignaz Wanders]</xs:documentation>

</xs:annotation>

<xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/isocodes"/>

<xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/kbocodes"/>

<xs:import namespace="urn://fsb.belgium.be/fphp/v3_0/nrcodes"/>

<xs:simpleType name="Register">

<xs:annotation>

<xs:documentation xml:lang="en">Enumeration of the possible registers. Both the Dutch and the French language are recognized.

The application using these codes should make sure that the Dutch and French values are considered equal.</xs:documentation>

</xs:annotation>

<xs:restriction base="xs:string">

<xs:enumeration value="KSZ">

<xs:annotation>

<xs:documentation xml:lang="nl">Kruispuntbank der Sociale Zekerheid.</xs:documentation>

</xs:annotation>

</xs:enumeration>

<xs:enumeration value="BCSS">

<xs:annotation>

<xs:documentation xml:lang="fr">Banque Carrefour de la Securite Sociale.</xs:documentation>

</xs:annotation>

</xs:enumeration>

<xs:enumeration value="RR">

<xs:annotation>

<xs:documentation xml:lang="nl">Rijksregister.</xs:documentation>

</xs:annotation>

</xs:enumeration>

<xs:enumeration value="RN">

<xs:annotation>

<xs:documentation xml:lang="fr">Registre Nationale.</xs:documentation>

</xs:annotation>

</xs:enumeration>

<xs:enumeration value="KBO">

<xs:annotation>

<xs:documentation xml:lang="nl">Kruispuntbank van Ondernemingen.</xs:documentation>

</xs:annotation>

</xs:enumeration>

<xs:enumeration value="BCE">

<xs:annotation>

<xs:documentation xml:lang="fr">Banque Carrefour des Entreprises.</xs:documentation>

</xs:annotation>

</xs:enumeration>

</xs:restriction>

</xs:simpleType>

<xs:complexType name="CountryCode">

<xs:annotation>

<xs:documentation xml:lang="en">The country codes are by default the ISO country codes. For completeness, the original codes,

prior to any transformation into ISO codes, are given in the appropriate attribute.</xs:documentation>

</xs:annotation>

<xs:simpleContent>

<xs:extension base="iso:Country">

```

                <xs:attribute name="nrCode" type="nr:NrCountryCode"
use="optional"/>
                <xs:attribute name="kboCode" type="kbo:KboCountryCode"
use="optional"/>
            </xs:extension>
        </xs:simpleContent>
    </xs:complexType>
</xs:schema>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:kbo="urn://fsb.belgium.be/fphp/v3_0/kbocodes"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/kbocodes"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
    <xs:annotation>
        <xs:documentation xml:lang="en">Definition of general KBO/BCE codes
used in the FPHP service.
        [Schema version: 1.0; Date: 2007-07-24; Author: Ignaz
Wanders]</xs:documentation>
    </xs:annotation>
    <xs:simpleType name="KboCountryCode">
        <xs:annotation>
            <xs:documentation xml:lang="en">The country codes are by default the
ISO country codes. For completeness, the original codes,
            prior to any transformation into ISO codes, are given in the
appropriate attribute.</xs:documentation>
        </xs:annotation>
        <xs:restriction base="xs:string"/>
    </xs:simpleType>
</xs:schema>
    <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:kbo="urn://fsb.belgium.be/fphp/v3_0/nrcodes"
targetNamespace="urn://fsb.belgium.be/fphp/v3_0/nrcodes"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="1.0">
    <xs:annotation>
        <xs:documentation xml:lang="en">Definition of general National Registry
codes used in the FPHP service.
        [Schema version: 1.0; Date: 2007-07-24; Author: Ignaz
Wanders]</xs:documentation>
    </xs:annotation>
    <xs:simpleType name="NrCountryCode">
        <xs:annotation>
            <xs:documentation xml:lang="en">The country codes are by default the
ISO country codes. For completeness, the original codes,
            prior to any transformation into ISO codes, are given in the
appropriate attribute.</xs:documentation>
        </xs:annotation>
        <xs:restriction base="xs:string"/>
    </xs:simpleType>
</xs:schema>

</types>
<message name="findPersonSoapIn">
    <part name="parameters" element="s0:findPerson"/>
</message>
<message name="findPersonSoapOut">
    <part name="parameters" element="s0:findPersonResponse"/>
</message>
<portType name="PersonQuerySoap">
    <operation name="findPerson">
        <input message="s0:findPersonSoapIn"/>
        <output message="s0:findPersonSoapOut"/>
    </operation>

```

```
</portType>
<binding name="PersonQuerySoap" type="s0:PersonQuerySoap">
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http"
style="document" />
  <operation name="findPerson">
    <soap:operation soapAction="urn://fsb.belgium.be/fphp/v3_0/findPerson"
style="document" />
    <input>
      <soap:body use="literal" />
    </input>
    <output>
      <soap:body use="literal" />
    </output>
  </operation>
</binding>
<service name="PersonQuery">
  <port name="PersonQuerySoap" binding="s0:PersonQuerySoap">
    <soap:address
location="http://vilcanota:7002/fphp/3.1/ws/PersonQuery.jws" />
  </port>
</service>
</definitions>
```